

Taynudol

| | |
|-----------------------------|--|
| Other names: | 2,8-Dimethyl-5-methylene-2a,3,4,5,5a,6,7,8,8a,8b-decahydro-cyclobuta[e]azulen-4-ol |
| Inchi: | InChI=1S/C15H22O/c1-8-4-5-11-10(3)14(16)7-12-9(2)6-13(12)15(8)11/h6,8,11-16H,3-5,7 |
| InchiKey: | YHSVQXCYEKUOFR-MQNDFEPXSA-N |
| Formula: | C15H22O |
| SMILES: | <chem>C=C1C(O)CC2C(C)=CC2C2C(C)CCC12</chem> |
| Mol. weight [g/mol]: | 218.33 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | 134.83 | kJ/mol | Joback Method |
| hf | -235.71 | kJ/mol | Joback Method |
| hfus | 29.69 | kJ/mol | Joback Method |
| hvap | 66.10 | kJ/mol | Joback Method |
| log10ws | -3.66 | | Crippen Method |
| logp | 3.162 | | Crippen Method |
| mcvol | 186.900 | ml/mol | McGowan Method |
| pc | 2143.35 | kPa | Joback Method |
| rinpol | 1707.00 | | NIST Webbook |
| rinpol | 1707.00 | | NIST Webbook |
| tb | 657.10 | K | Joback Method |
| tc | 859.62 | K | Joback Method |
| tf | 377.13 | K | Joback Method |
| vc | 0.709 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 562.04 | J/mol×K | 657.10 | Joback Method |
| cpg | 580.97 | J/mol×K | 690.85 | Joback Method |
| cpg | 598.78 | J/mol×K | 724.61 | Joback Method |
| cpg | 615.55 | J/mol×K | 758.36 | Joback Method |
| cpg | 631.33 | J/mol×K | 792.11 | Joback Method |
| cpg | 646.18 | J/mol×K | 825.86 | Joback Method |
| cpg | 660.15 | J/mol×K | 859.62 | Joback Method |

| | | | | |
|-------|-----------|------|--------|---------------|
| dvisc | 0.0034881 | Paxs | 377.13 | Joback Method |
| dvisc | 0.0022560 | Paxs | 423.79 | Joback Method |
| dvisc | 0.0015909 | Paxs | 470.45 | Joback Method |
| dvisc | 0.0011949 | Paxs | 517.12 | Joback Method |
| dvisc | 0.0009410 | Paxs | 563.78 | Joback Method |
| dvisc | 0.0007686 | Paxs | 610.44 | Joback Method |
| dvisc | 0.0006461 | Paxs | 657.10 | Joback Method |

Sources

| | |
|------------------------|---|
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=R407784&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/69-375-0/Taynudol.pdf>

Generated by Cheméo on 2024-04-24 02:29:01.399548727 +0000 UTC m=+16214990.320126039.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.