

Succinic acid, 2-methylphenyl 6-chlorohexyl ester

| | |
|----------------------|--|
| Inchi: | InChI=1S/C17H23ClO4/c1-14-8-4-5-9-15(14)22-17(20)11-10-16(19)21-13-7-3-2-6-12-18 |
| InchiKey: | SOAVOQPCGGGCSE-UHFFFAOYSA-N |
| Formula: | C17H23ClO4 |
| SMILES: | <chem>Cc1ccccc1OC(=O)CCC(=O)OCCCCC(Cl)</chem> |
| Mol. weight [g/mol]: | 326.81 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | -284.73 | kJ/mol | Joback Method |
| hf | -674.49 | kJ/mol | Joback Method |
| hfus | 43.21 | kJ/mol | Joback Method |
| hvap | 79.07 | kJ/mol | Joback Method |
| log10ws | -4.63 | | Crippen Method |
| logp | 4.023 | | Crippen Method |
| mvol | 253.750 | ml/mol | McGowan Method |
| pc | 1627.22 | kPa | Joback Method |
| rinpol | 2510.00 | | NIST Webbook |
| rinpol | 2510.00 | | NIST Webbook |
| tb | 810.03 | K | Joback Method |
| tc | 1014.58 | K | Joback Method |
| tf | 494.53 | K | Joback Method |
| vc | 0.977 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 731.34 | J/molxK | 810.03 | Joback Method |
| cpg | 745.62 | J/molxK | 844.12 | Joback Method |
| cpg | 758.88 | J/molxK | 878.21 | Joback Method |
| cpg | 771.12 | J/molxK | 912.30 | Joback Method |
| cpg | 782.38 | J/molxK | 946.39 | Joback Method |
| cpg | 792.66 | J/molxK | 980.49 | Joback Method |
| cpg | 801.99 | J/molxK | 1014.58 | Joback Method |
| dvisc | 0.0006561 | Paxs | 494.53 | Joback Method |

| | | | | |
|-------|-----------|------|--------|---------------|
| dvisc | 0.0003807 | Paxs | 547.11 | Joback Method |
| dvisc | 0.0002430 | Paxs | 599.70 | Joback Method |
| dvisc | 0.0001667 | Paxs | 652.28 | Joback Method |
| dvisc | 0.0001210 | Paxs | 704.86 | Joback Method |
| dvisc | 0.0000918 | Paxs | 757.45 | Joback Method |
| dvisc | 0.0000722 | Paxs | 810.03 | Joback Method |

Sources

| | |
|------------------------|---|
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U357539&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.cheméo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/69-585-7/Succinic-acid-2-methylphenyl-6-chlorohexyl-ester.pdf>

Generated by Cheméo on 2024-04-29 18:51:12.322737316 +0000 UTC m=+16705921.243314632.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.