

Glutamic acid, TMS, # 2

Inchi: InChI=1S/C14H33NO4Si3/c1-20(2,3)15-12(14(17)19-22(7,8)9)10-11-13(16)18-21(4,5)6/h
InchiKey: STTWTJDZFSNFS-GFCCVEGCSA-N
Formula: C14H33NO4Si3
SMILES: C[Si](C)(C)NC(CCC(=O)O[Si](C)(C)C)C(=O)O[Si](C)(C)C
Mol. weight [g/mol]: 363.67

Physical Properties

Property code	Value	Unit	Source
log10ws	3.14		Crippen Method
logp	3.316		Crippen Method
rinpol	1627.00		NIST Webbook

Sources

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws
NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=R191578&Units=SI>
Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Legend

log10ws: Log10 of Water solubility in mol/l
logp: Octanol/Water partition coefficient
rinpol: Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/70-605-2/Glutamic-acid-TMS-2.pdf>

Generated by Cheméo on 2024-04-23 16:39:11.063573933 +0000 UTC m=+16179599.984151248.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.