



cpg

1032.19

J/mol×K

770.78

Joback Method

## Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbrp	373.00	K	2.00	NIST Webbook

## Sources

<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C33496489&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C33496489&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci990307i">http://pubs.acs.org/doi/abs/10.1021/ci990307i</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>tb:</b>	Normal Boiling Point Temperature
<b>tbrp:</b>	Boiling point at reduced pressure
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/71-040-8/Octanoic-acid-pentadecafluoro-anhydride.pdf>

Generated by Cheméo on 2024-04-25 16:24:39.659365129 +0000 UTC m=+16351528.579942452.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.