

«gamma»-Amorphene

Inchi:

InChI=1S/C15H24/c1-10(2)13-8-6-12(4)14-7-5-11(3)9-15(13)14/h9-10,13-15H,4-8H2,1-3

InchiKey:

WRHGORWNJGOVQY-SOUVJXGZSA-N

Formula:

C15H24

SMILES:

C=C1CCC(C(C)C)C2C=C(C)CCC12

Mol. weight [g/mol]:

204.35

Physical Properties

Property code	Value	Unit	Source
hfus	19.70	kJ/mol	Joback Method
logp	4.581		Crippen Method
mcvol	191.890	ml/mol	McGowan Method
rinpol	1515.00		NIST Webbook
rinpol	1490.00		NIST Webbook
rinpol	1491.00		NIST Webbook
rinpol	1515.00		NIST Webbook
rinpol	1515.00		NIST Webbook

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	501.64	J/mol×K	571.35	Joback Method
cpg	524.63		607.05	Joback Method
cpg	546.31	J/mol×K	642.74	Joback Method
cpg	566.71		678.44	Joback Method
cpg	585.88	J/mol×K	714.14	Joback Method
cpg	603.88		749.83	Joback Method
cpg	620.74	J/mol×K	785.53	Joback Method
dvisc	0.0022043	Pa×s	288.33	Joback Method
dvisc	0.0013305		335.50	Joback Method
dvisc	0.0009095	Pa×s	382.67	Joback Method
dvisc	0.0006759		429.84	Joback Method
dvisc	0.0005326	Pa×s	477.01	Joback Method
dvisc	0.0004381		524.18	Joback Method
dvisc	0.0003722	Pa×s	571.35	Joback Method

Sources

Cheméo Relay (1.0, beta):

NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=R620412&Units=SI>

Joback Method: https://en.wikipedia.org/wiki/Joback_method

McGowan Method: <http://link.springer.com/article/10.1007/BF02311772>

Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws

Cheméo Relay (1.0):

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
hfus:	Enthalpy of fusion at standard conditions
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
rinpol:	Non-polar retention indices

Latest version available from:

<https://www.chemeo.com/cid/71-694-3/gamma-Amorphene.pdf>

Generated by Cheméo on 2026-07-21 16:40:04.48762877 +0000 UTC m=+163100.329514139.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.