

# Tetracosane, 3-methyl

**Inchi:** InChI=1S/C25H52/c1-4-6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25(3)5-2  
**InchiKey:** PIDMIARWXIPIMD-UHFFFAOYSA-N  
**Formula:** C25H52  
**SMILES:** CCCCCCCCCCCCCCCCCCCCC(C)CC  
**Mol. weight [g/mol]:** 352.68  
**CAS:** 65820-52-2

## Physical Properties

| Property code | Value   | Unit    | Source         |
|---------------|---------|---------|----------------|
| gf            | 157.18  | kJ/mol  | Joback Method  |
| hf            | -564.61 | kJ/mol  | Joback Method  |
| hfus          | 56.98   | kJ/mol  | Joback Method  |
| hvap          | 70.86   | kJ/mol  | Joback Method  |
| log10ws       | -10.05  |         | Crippen Method |
| logp          | 9.854   |         | Crippen Method |
| mcvol         | 363.110 | ml/mol  | McGowan Method |
| pc            | 767.34  | kPa     | Joback Method  |
| rinpol        | 2474.00 |         | NIST Webbook   |
| rinpol        | 2465.00 |         | NIST Webbook   |
| rinpol        | 2474.90 |         | NIST Webbook   |
| rinpol        | 2471.00 |         | NIST Webbook   |
| rinpol        | 2471.00 |         | NIST Webbook   |
| rinpol        | 2472.00 |         | NIST Webbook   |
| rinpol        | 2467.00 |         | NIST Webbook   |
| rinpol        | 2474.00 |         | NIST Webbook   |
| rinpol        | 2472.30 |         | NIST Webbook   |
| rinpol        | 2473.00 |         | NIST Webbook   |
| tb            | 770.96  | K       | Joback Method  |
| tc            | 944.71  | K       | Joback Method  |
| tf            | 356.51  | K       | Joback Method  |
| vc            | 1.429   | m3/kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value     | Unit    | Temperature [K] | Source        |
|---------------|-----------|---------|-----------------|---------------|
| cpg           | 1151.89   | J/mol×K | 770.96          | Joback Method |
| cpg           | 1175.34   | J/mol×K | 799.92          | Joback Method |
| cpg           | 1197.69   | J/mol×K | 828.88          | Joback Method |
| cpg           | 1218.99   | J/mol×K | 857.83          | Joback Method |
| cpg           | 1239.27   | J/mol×K | 886.79          | Joback Method |
| cpg           | 1258.59   | J/mol×K | 915.75          | Joback Method |
| cpg           | 1276.97   | J/mol×K | 944.71          | Joback Method |
| dvisc         | 0.0027240 | Paxs    | 356.51          | Joback Method |
| dvisc         | 0.0007960 | Paxs    | 425.58          | Joback Method |
| dvisc         | 0.0003280 | Paxs    | 494.66          | Joback Method |
| dvisc         | 0.0001679 | Paxs    | 563.73          | Joback Method |
| dvisc         | 0.0000995 | Paxs    | 632.81          | Joback Method |
| dvisc         | 0.0000654 | Paxs    | 701.88          | Joback Method |
| dvisc         | 0.0000463 | Paxs    | 770.96          | Joback Method |

## Sources

**McGowan Method:**

<http://link.springer.com/article/10.1007/BF02311772>

**NIST Webbook:**

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C65820522&Units=SI>

**Crippen Method:**

<http://pubs.acs.org/doi/abs/10.1021/ci990307i>

**Crippen Method:**

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

**Joback Method:**

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

## Legend

|                 |   |
|-----------------|---|
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>dvisc:</b>   | Dynamic viscosity                               |
| <b>gf:</b>      | Standard Gibbs free energy of formation         |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mccvol:</b>  | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>rinpola:</b> | Non-polar retention indices                     |
| <b>tb:</b>      | Normal Boiling Point Temperature                |

**tc:** Critical Temperature  
**tf:** Normal melting (fusion) point  
**vc:** Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/72-250-4/Tetracosane-3-methyl.pdf>

Generated by Cheméo on 2024-04-27 02:50:15.994857897 +0000 UTC m=+16475464.915435235.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.