

Copper, bis(8-quinolinolato-N1,O8)-

Other names:

Copper, bis(8-quinolinolato-N1,O8)-
Copper, bis(8-quinolinolato)-
Bis(8-hydroxyquinolinato)copper
Bis(8-quinolinolato)copper
Copper bis(8-hydroxyquinolate)
Copper dioxinate
Copper hydroxyquinolate
Copper hydroxyquinolate
Copper oxinate
Copper oxyquinolate
Copper oxyquinoline
Copper quinolate
Copper quinolinolate
Copper 8-hydroxyquinolate
Copper 8-quinolate
Copper 8-quinolinolate
Copper(2+) oxinate
Copper-oxine
Cunilate 2174
Cupric 8-hydroxyquinolate
Cupric 8-quinolinolate
Cuproquin
Milmer 1
Oxine copper
Quinolate
Quinolate 15
Quinolate 20
Bioquin
Bioquin 1
Bis(8-quinolinato)copper
Cellu-Quin
Copper 8-quinolinolate(1:2)
Copper-8
Copper, bis(8-quinolinolato-N(sup1),O(sup8))-
Cunilate
Cunilate 2419
Cuprinol Dispersion AQ
Fennotox 45
Milmer
Oxime copper

Quinondo
Tintex AQS
Tintex 17
8-Hydroxyquinoline copper complex
8-Quinolinol, copper (II) chelate
8-Quinolinol, copper salt
Cunilate 2472
Dokirin
Fruitdo
Oxine cuivre

Oxyquinolinoleate de cuivre

bis(8-hydroxyquinolinato)copper(II)

InchiKey: YXLXNENXOJSQEI-UHFFFAOYSA-L

Formula: C₁₈H₁₂CuN₂O₂

SMILES: c1cc2[O][Cu]3([O]c4cccc5ccc[n]->3c45)<-[n]3cccc(c1)c23

Mol. weight [g/mol]: 351.85

Physical Properties

Property code	Value	Unit	Source
hsub	168.70 ± 7.30	kJ/mol	NIST Webbook
hsub	170.00 ± 3.00	kJ/mol	NIST Webbook

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
hsubt	160.00 ± 3.00	kJ/mol	490.50	NIST Webbook

Sources

NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=C10380286&Units=SI>

Cheméo Relay (1.0):

Cheméo Relay (1.0, beta):

Legend

hsub: Enthalpy of sublimation at standard conditions

hsubt: Enthalpy of sublimation at a given temperature

Latest version available from:

<https://www.chemeo.com/cid/73-767-0/Copper-bis-8-quinolinolato-N1-O8.pdf>

Generated by Cheméo on 2026-07-22 02:31:50.648287285 +0000 UTC m=+198606.490172687.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.