

Pyrene, 4-methyl-

Other names:	4-Methylpyrene
Inchi:	InChI=1S/C17H12/c1-11-10-14-6-2-4-12-8-9-13-5-3-7-15(11)17(13)16(12)14/h2-10H,1H3
InchiKey:	IXAFAYIIDHDJHN-UHFFFAOYSA-N
Formula:	C17H12
SMILES:	Cc1cc2cccc3ccc4cccc1c4c32
Mol. weight [g/mol]:	216.28
CAS:	3353-12-6

Physical Properties

Property code	Value	Unit	Source
gf	489.97	kJ/mol	Joback Method
hf	335.66	kJ/mol	Joback Method
hfus	26.70	kJ/mol	Joback Method
hvap	61.98	kJ/mol	Joback Method
log10ws	-6.78		Crippen Method
logp	4.892		Crippen Method
mcvol	172.550	ml/mol	McGowan Method
pc	2726.86	kPa	Joback Method
rinpol	368.75		NIST Webbook
rinpol	369.54		NIST Webbook
rinpol	373.41		NIST Webbook
rinpol	369.26		NIST Webbook
rinpol	369.40		NIST Webbook
rinpol	370.00		NIST Webbook
rinpol	369.40		NIST Webbook
rinpol	369.54		NIST Webbook
rinpol	368.75		NIST Webbook
rinpol	368.75		NIST Webbook
rinpol	369.05		NIST Webbook
rinpol	369.54		NIST Webbook
rinpol	369.50		NIST Webbook
rinpol	369.54		NIST Webbook
rinpol	369.54		NIST Webbook
rinpol	369.54		NIST Webbook
rinpol	369.54		NIST Webbook
rinpol	369.82		NIST Webbook
tb	679.22	K	Joback Method
tc	930.34	K	Joback Method

tf	416.00 ± 3.00	K	NIST Webbook
vc	0.675	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	435.75	J/mol×K	679.22	Joback Method
cpg	449.48	J/mol×K	721.07	Joback Method
cpg	462.19	J/mol×K	762.93	Joback Method
cpg	474.06	J/mol×K	804.78	Joback Method
cpg	485.29	J/mol×K	846.63	Joback Method
cpg	496.08	J/mol×K	888.49	Joback Method
cpg	506.62	J/mol×K	930.34	Joback Method
dvisc	0.0019946	Pa×s	449.71	Joback Method
dvisc	0.0018069	Pa×s	487.96	Joback Method
dvisc	0.0016605	Pa×s	526.21	Joback Method
dvisc	0.0015435	Pa×s	564.47	Joback Method
dvisc	0.0014482	Pa×s	602.72	Joback Method
dvisc	0.0013691	Pa×s	640.97	Joback Method
dvisc	0.0013026	Pa×s	679.22	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C3353126&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions

hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/74-480-7/Pyrene-4-methyl.pdf>

Generated by Cheméo on 2025-12-05 16:58:43.907749593 +0000 UTC m=+4702121.437790263.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.