

# Naphtho[1,2-b]triphenylene

<b>Other names:</b>	Tribenz[a,c,h]anthracene
<b>Inchi:</b>	InChI=1S/C26H16/c1-2-8-19-17(7-1)13-14-18-15-25-22-11-5-3-9-20(22)21-10-4-6-12-23
<b>InchiKey:</b>	GWBFCDHVRQBXAV-UHFFFAOYSA-N
<b>Formula:</b>	C26H16
<b>SMILES:</b>	<chem>c1ccc2c(c1)ccc1cc3c4ccccc4c4ccccc4c3cc12</chem>
<b>Mol. weight [g/mol]:</b>	328.41
<b>CAS:</b>	215-26-9

## Physical Properties

Property code	Value	Unit	Source
gf	775.18	kJ/mol	Joback Method
hf	566.03	kJ/mol	Joback Method
hfus	40.68	kJ/mol	Joback Method
hvap	86.59	kJ/mol	Joback Method
ie	7.40	eV	NIST Webbook
ie	7.40 ± 0.02	eV	NIST Webbook
ie	7.47	eV	NIST Webbook
ie	7.40	eV	NIST Webbook
ie	7.35 ± 0.04	eV	NIST Webbook
log10ws	-10.49		Crippen Method
logp	7.453		Crippen Method
mcvol	256.140	ml/mol	McGowan Method
pc	2032.72	kPa	Joback Method
rinpol	588.45		NIST Webbook
rinpol	588.03		NIST Webbook
tb	935.78	K	Joback Method
tc	1209.93	K	Joback Method
tf	622.78	K	Joback Method
vc	0.994	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	753.48	J/mol×K	935.78	Joback Method

cpg	838.20	J/molxK	1164.24	Joback Method
cpg	819.68	J/molxK	1118.55	Joback Method
cpg	802.30	J/molxK	1072.85	Joback Method
cpg	785.72	J/molxK	1027.16	Joback Method
cpg	769.57	J/molxK	981.47	Joback Method
cpg	858.23	J/molxK	1209.93	Joback Method
dvisc	0.0017553	Paxs	935.78	Joback Method
dvisc	0.0018814	Paxs	883.61	Joback Method
dvisc	0.0020341	Paxs	831.45	Joback Method
dvisc	0.0022223	Paxs	779.28	Joback Method
dvisc	0.0024589	Paxs	727.11	Joback Method
dvisc	0.0027637	Paxs	674.95	Joback Method
dvisc	0.0031676	Paxs	622.78	Joback Method

## Sources

<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C215269&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C215269&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>ie:</b>	Ionization energy
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mccvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature

**tf:** Normal melting (fusion) point

**vc:** Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/75-749-8/Naphtho-1-2-b-triphenylene.pdf>

Generated by Cheméo on 2024-05-01 15:50:48.574265786 +0000 UTC m=+16867897.494843097.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.