

# Phenol, 2-butyl-

|                      |                                                                                                                           |
|----------------------|---------------------------------------------------------------------------------------------------------------------------|
| Other names:         | 1-Hydroxy-2-n-butylbenzene<br>2-Butylphenol<br>2-n-Butylphenol<br>Phenol, o-butyl-<br>UN 2228<br>UN 2229<br>o-Butylphenol |
| Inchi:               | InChI=1S/C10H14O/c1-2-3-6-9-7-4-5-8-10(9)11/h4-5,7-8,11H,2-3,6H2,1H3                                                      |
| InchiKey:            | GJYCVCVHRSWLNY-UHFFFAOYSA-N                                                                                               |
| Formula:             | C10H14O                                                                                                                   |
| SMILES:              | CCCCc1ccccc1O                                                                                                             |
| Mol. weight [g/mol]: | 150.22                                                                                                                    |
| CAS:                 | 3180-09-4                                                                                                                 |

## Physical Properties

| Property code | Value         | Unit    | Source         |
|---------------|---------------|---------|----------------|
| gf            | -8.89         | kJ/mol  | Joback Method  |
| hf            | -190.51       | kJ/mol  | Joback Method  |
| hfus          | 21.48         | kJ/mol  | Joback Method  |
| hvap          | 53.14         | kJ/mol  | Joback Method  |
| log10ws       | -2.66         |         | Crippen Method |
| logp          | 2.735         |         | Crippen Method |
| mcvol         | 133.870       | ml/mol  | McGowan Method |
| pc            | 3468.36       | kPa     | Joback Method  |
| tb            | 535.50        | K       | Joback Method  |
| tc            | 753.87        | K       | Joback Method  |
| tf            | 253.15 ± 2.00 | K       | NIST Webbook   |
| vc            | 0.454         | m3/kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value  | Unit    | Temperature [K] | Source        |
|---------------|--------|---------|-----------------|---------------|
| cpg           | 350.35 | J/mol×K | 644.69          | Joback Method |
| cpg           | 382.17 | J/mol×K | 753.87          | Joback Method |

|       |           |         |        |               |
|-------|-----------|---------|--------|---------------|
| cpg   | 372.21    | J/mol×K | 717.48 | Joback Method |
| cpg   | 361.63    | J/mol×K | 681.08 | Joback Method |
| cpg   | 311.56    | J/mol×K | 535.50 | Joback Method |
| cpg   | 325.39    | J/mol×K | 571.90 | Joback Method |
| cpg   | 338.30    | J/mol×K | 608.29 | Joback Method |
| dvisc | 0.0000606 | Pa×s    | 535.50 | Joback Method |
| dvisc | 0.0002937 | Pa×s    | 438.05 | Joback Method |
| dvisc | 0.0001614 | Pa×s    | 470.53 | Joback Method |
| dvisc | 0.0000958 | Pa×s    | 503.02 | Joback Method |
| dvisc | 0.0035095 | Pa×s    | 340.60 | Joback Method |
| dvisc | 0.0013291 | Pa×s    | 373.08 | Joback Method |
| dvisc | 0.0005881 | Pa×s    | 405.57 | Joback Method |
| hvapt | 47.00     | kJ/mol  | 451.00 | NIST Webbook  |
| hvapt | 51.00     | kJ/mol  | 451.00 | NIST Webbook  |
| hvapt | 52.90     | kJ/mol  | 451.00 | NIST Webbook  |
| hvapt | 55.10     | kJ/mol  | 468.00 | NIST Webbook  |

## Correlations

| Information                 | Value                         |
|-----------------------------|-------------------------------|
| Property code               | pvap                          |
| Equation                    | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A                    | 1.57341e+01                   |
| Coeff. B                    | -4.69734e+03                  |
| Coeff. C                    | -8.24160e+01                  |
| Temperature range (K), min. | 386.52                        |
| Temperature range (K), max. | 533.10                        |

## Sources

|                                      |                                                                                                                                                                                         |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Crippen Method:                      | <a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>                                                                       |
| Joback Method:                       | <a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>                                                                                   |
| McGowan Method:                      | <a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>                                                                   |
| NIST Webbook:                        | <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C3180094&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C3180094&amp;Units=SI</a>                                             |
| The Yaws Handbook of Vapor Pressure: | <a href="https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure">https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure</a> |
| Crippen Method:                      | <a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>                                                                               |

# Legend

|                 |                                                 |
|-----------------|-------------------------------------------------|
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>dvisc:</b>   | Dynamic viscosity                               |
| <b>gf:</b>      | Standard Gibbs free energy of formation         |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvac:</b>    | Enthalpy of vaporization at standard conditions |
| <b>hvapt:</b>   | Enthalpy of vaporization at a given temperature |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mcvol:</b>   | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>pvap:</b>    | Vapor pressure                                  |
| <b>tb:</b>      | Normal Boiling Point Temperature                |
| <b>tc:</b>      | Critical Temperature                            |
| <b>tf:</b>      | Normal melting (fusion) point                   |
| <b>vc:</b>      | Critical Volume                                 |

Latest version available from:

<https://www.chemeo.com/cid/76-020-5/Phenol-2-butyl.pdf>

Generated by Cheméo on 2025-12-05 09:36:18.200068637 +0000 UTC m=+4675575.730109298.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.