

N-Methyl-p-cumidine

Other names:	Aniline, p-isopropyl-N-methyl-,
Inchi:	InChI=1S/C10H15N/c1-8(2)9-4-6-10(11-3)7-5-9/h4-8,11H,1-3H3
InchiKey:	RQZGOIJRSJWNRB-UHFFFAOYSA-N
Formula:	C10H15N
SMILES:	CNc1ccc(C(C)C)cc1
Mol. weight [g/mol]:	149.23
CAS:	6950-79-4

Physical Properties

Property code	Value	Unit	Source
gf	223.05	kJ/mol	Joback Method
hf	23.52	kJ/mol	Joback Method
hfus	16.88	kJ/mol	Joback Method
hvap	46.84	kJ/mol	Joback Method
log10ws	-2.67		Crippen Method
logp	2.852		Crippen Method
mcvol	137.980	ml/mol	McGowan Method
pc	2950.48	kPa	Joback Method
rinpol	1286.40		NIST Webbook
tb	509.59	K	Joback Method
tc	721.82	K	Joback Method
tf	279.06	K	Joback Method
vc	0.516	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	305.12	J/molxK	509.59	Joback Method
cpg	320.37	J/molxK	544.96	Joback Method
cpg	334.75	J/molxK	580.33	Joback Method
cpg	348.31	J/molxK	615.70	Joback Method
cpg	361.08	J/molxK	651.07	Joback Method
cpg	373.08	J/molxK	686.44	Joback Method
cpg	384.35	J/molxK	721.82	Joback Method

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbrp	384.70	K	1.50	NIST Webbook

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.39528e+01
Coeff. B	-4.04365e+03
Coeff. C	-8.07150e+01
Temperature range (K), min.	376.62
Temperature range (K), max.	548.66

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C6950794&Units=SI
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions

hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tbrp:	Boiling point at reduced pressure
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/76-405-8/N-Methyl-p-cumidine.pdf>

Generated by Cheméo on 2024-04-19 02:29:14.317550346 +0000 UTC m=+15783003.238127662.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.