

Dimethylglyoxal dioxime, O,O'-bis[(pentafluorophenyl)methyl]-

Other names:	Diacetyl, PFBO # 2
Inchi:	InChI=1S/C18H10F10N2O2/c1-5(29-31-3-7-9(19)13(23)17(27)14(24)10(7)20)6(2)30-32-
InchiKey:	FJVTVBQIHZZDBE-UHFFFAOYSA-N
Formula:	C18H10F10N2O2
SMILES:	CC(=NOCc1c(F)c(F)c(F)c(F)c1F)C(C)=NOCc1c(F)c(F)c(F)c(F)c1F
Mol. weight [g/mol]:	476.27

Physical Properties

Property code	Value	Unit	Source
hf	-2137.17	kJ/mol	Joback Method
hvap	70.27	kJ/mol	Joback Method
log10ws	-8.35		Crippen Method
logp	5.563		Crippen Method
mcvol	257.760	ml/mol	McGowan Method
pc	1028.60	kPa	Joback Method
rinpol	1344.00		NIST Webbook
rinpol	1344.00		NIST Webbook
ripol	1790.00		NIST Webbook
ripol	1790.00		NIST Webbook
tb	905.06	K	Joback Method
tc	1108.96	K	Joback Method

Sources

Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=U288118&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307I

Legend

hf:	Enthalpy of formation at standard conditions
h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀ws:	Log ₁₀ of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
r_{inpol}:	Non-polar retention indices
r_{ipol}:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature

Latest version available from:

<https://www.cheméo.com/cid/76-949-5/Dimethylglyoxal-dioxime-O-O-bis-pentafluorophenyl-methyl.pdf>

Generated by Cheméo on 2024-04-28 22:51:05.642285465 +0000 UTC m=+16633914.562862780.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.