

4-Hexen-3-one

| | |
|-----------------------------|--|
| Other names: | (E)-CH ₃ CH=CHC(=O)C ₂ H ₅ 2-Hexen-4-one 2-Hexene-4-one hex-4-en-3-one |
| Inchi: | InChI=1S/C6H10O/c1-3-5-6(7)4-2/h3,5H,4H2,1-2H3/b5-3+ |
| InchiKey: | FEWIGMWODIRUJM-HWKANZROSA-N |
| Formula: | C ₆ H ₁₀ O |
| SMILES: | CC=CC(=O)CC |
| Mol. weight [g/mol]: | 98.14 |
| CAS: | 2497-21-4 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | -49.06 | kJ/mol | Joback Method |
| hf | -162.53 | kJ/mol | Joback Method |
| hfus | 13.10 | kJ/mol | Joback Method |
| hvap | 35.65 | kJ/mol | Joback Method |
| ie | 9.32 | eV | NIST Webbook |
| log10ws | -1.47 | | Crippen Method |
| logp | 1.542 | | Crippen Method |
| mcvol | 92.670 | ml/mol | McGowan Method |
| pc | 3547.31 | kPa | Joback Method |
| ripol | 855.00 | | NIST Webbook |
| ripol | 855.00 | | NIST Webbook |
| ripol | 1197.00 | | NIST Webbook |
| ripol | 1195.00 | | NIST Webbook |
| ripol | 1197.00 | | NIST Webbook |
| ripol | 1197.00 | | NIST Webbook |
| ripol | 1195.00 | | NIST Webbook |
| tb | 394.71 | K | Joback Method |
| tc | 581.55 | K | Joback Method |
| tf | 202.23 | K | Joback Method |
| vc | 0.357 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 162.73 | J/molxK | 394.71 | Joback Method |
| cpg | 172.50 | J/molxK | 425.85 | Joback Method |
| cpg | 181.81 | J/molxK | 456.99 | Joback Method |
| cpg | 190.67 | J/molxK | 488.13 | Joback Method |
| cpg | 199.09 | J/molxK | 519.27 | Joback Method |
| cpg | 207.09 | J/molxK | 550.41 | Joback Method |
| cpg | 214.70 | J/molxK | 581.55 | Joback Method |
| dvisc | 0.0034897 | Paxs | 202.23 | Joback Method |
| dvisc | 0.0016596 | Paxs | 234.31 | Joback Method |
| dvisc | 0.0009440 | Paxs | 266.39 | Joback Method |
| dvisc | 0.0006062 | Paxs | 298.47 | Joback Method |
| dvisc | 0.0004242 | Paxs | 330.55 | Joback Method |
| dvisc | 0.0003162 | Paxs | 362.63 | Joback Method |
| dvisc | 0.0002472 | Paxs | 394.71 | Joback Method |

Correlations

| Information | Value |
|-----------------------------|-------------------------------|
| Property code | pvap |
| Equation | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A | 1.46380e+01 |
| Coeff. B | -3.56940e+03 |
| Coeff. C | -5.55890e+01 |
| Temperature range (K), min. | 304.32 |
| Temperature range (K), max. | 438.30 |

Sources

- Crippen Method:** <http://pubs.acs.org/doi/abs/10.1021/ci9903071>
- Crippen Method:** https://www.chemeo.com/doc/models/crippen_log10ws
- Joback Method:** https://en.wikipedia.org/wiki/Joback_method
- McGowan Method:** <http://link.springer.com/article/10.1007/BF02311772>
- NIST Webbook:** <http://webbook.nist.gov/cgi/cbook.cgi?ID=C2497214&Units=SI>

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| ie: | Ionization energy |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mccvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| pvap: | Vapor pressure |
| rinpol: | Non-polar retention indices |
| ripol: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/77-828-8/4-Hexen-3-one.pdf>

Generated by Cheméo on 2024-04-23 06:07:29.320736557 +0000 UTC m=+16141698.241313868.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.