

Piperidine, 2-propyl-, (S)-

Other names:	(+)-Coniine (S)-(+)-Coniine (S)-2-Propylpiperidine (S)-Coniine 2-Propylpiperidine Cicutin Cicutine Conicine Coniin Coniine Koniin Piperidine, 2-propyl-, (2S)- d-Conicine
Inchi:	InChI=1S/C8H17N/c1-2-5-8-6-3-4-7-9-8/h8-9H,2-7H2,1H3
InchiKey:	NDNUANOUGZGEPO-UHFFFAOYSA-N
Formula:	C8H17N
SMILES:	CCCC1CCCCN1
Mol. weight [g/mol]:	127.23
CAS:	458-88-8

Physical Properties

Property code	Value	Unit	Source
gf	128.64	kJ/mol	Joback Method
hf	-116.32	kJ/mol	Joback Method
hfus	17.90	kJ/mol	Joback Method
hvap	40.59	kJ/mol	Joback Method
log10ws	-1.50		Aqueous Solubility Prediction Method
logp	1.929		Crippen Method
mcvol	122.700	ml/mol	McGowan Method
pc	3243.03	kPa	Joback Method
rinpola	992.00		NIST Webbook
rinpola	992.00		NIST Webbook
tb	450.54	K	Joback Method
tc	659.37	K	Joback Method
tf	292.33	K	Joback Method
vc	0.454	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	257.94	J/mol×K	450.54	Joback Method
cpg	275.63	J/mol×K	485.34	Joback Method
cpg	292.49	J/mol×K	520.15	Joback Method
cpg	308.53	J/mol×K	554.95	Joback Method
cpg	323.77	J/mol×K	589.76	Joback Method
cpg	338.23	J/mol×K	624.56	Joback Method
cpg	351.91	J/mol×K	659.37	Joback Method

Sources

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

Aqueous Solubility Prediction Method:

<http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDa>

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C458888&Units=SI>

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point

vc: Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/77-970-0/Piperidine-2-propyl-S.pdf>

Generated by Cheméo on 2024-04-18 07:20:39.603649875 +0000 UTC m=+15714088.524227197.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.