

Bisabola-1,3,5,7(14),10-pentaene

| | |
|-----------------------------|--|
| Inchi: | InChI=1S/C15H20/c1-12(2)6-5-7-14(4)15-10-8-13(3)9-11-15/h6,8-11H,4-5,7H2,1-3H3 |
| InchiKey: | YAZBKDRDYPAXAO-UHFFFAOYSA-N |
| Formula: | C15H20 |
| SMILES: | <chem>C=C(CCC=C(C)C)c1ccc(C)cc1</chem> |
| Mol. weight [g/mol]: | 200.32 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|---------|----------------|
| gf | 329.16 | kJ/mol | Joback Method |
| hf | 95.20 | kJ/mol | Joback Method |
| hfus | 24.56 | kJ/mol | Joback Method |
| hvap | 51.37 | kJ/mol | Joback Method |
| log10ws | -5.14 | | Crippen Method |
| logp | 4.755 | | Crippen Method |
| mcvol | 189.850 | ml/mol | McGowan Method |
| pc | 1996.55 | kPa | Joback Method |
| rinpol | 1517.00 | | NIST Webbook |
| rinpol | 1517.00 | | NIST Webbook |
| tb | 574.86 | K | Joback Method |
| tc | 786.70 | K | Joback Method |
| tf | 262.99 | K | Joback Method |
| vc | 0.731 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 452.97 | J/molxK | 574.86 | Joback Method |
| cpg | 471.01 | J/molxK | 610.17 | Joback Method |
| cpg | 487.97 | J/molxK | 645.47 | Joback Method |
| cpg | 503.90 | J/molxK | 680.78 | Joback Method |
| cpg | 518.88 | J/molxK | 716.09 | Joback Method |
| cpg | 532.96 | J/molxK | 751.39 | Joback Method |
| cpg | 546.20 | J/molxK | 786.70 | Joback Method |

Sources

| | |
|------------------------|---|
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=R418452&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307l |
| Crippen Method: | https://www.cheméo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpola: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/78-630-6/Bisabola-1-3-5-7-14-10-pentaene.pdf>

Generated by Cheméo on 2024-05-01 05:09:27.921179731 +0000 UTC m=+16829416.841757046.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.