

Hexanoic acid, 3,5,5-trimethyl-, tetradec-2-yl ester

| | |
|----------------------|-----------------------------------------------------------------------------------|
| Inchi: | InChI=1S/C23H46O2/c1-7-8-9-10-11-12-13-14-15-16-17-21(3)25-22(24)18-20(2)19-23(4) |
| InchiKey: | ZBERYZPXQBWASF-UHFFFAOYSA-N |
| Formula: | C23H46O2 |
| SMILES: | CCCCCCCCCCCC(C)OC(=O)CC(C)CC(C)(C)C |
| Mol. weight [g/mol]: | 354.61 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | -93.18 | kJ/mol | Joback Method |
| hf | -782.16 | kJ/mol | Joback Method |
| hfus | 43.65 | kJ/mol | Joback Method |
| hvap | 73.88 | kJ/mol | Joback Method |
| log10ws | -7.94 | | Crippen Method |
| logp | 7.691 | | Crippen Method |
| mvol | 342.370 | ml/mol | McGowan Method |
| pc | 893.73 | kPa | Joback Method |
| rinpol | 2234.00 | | NIST Webbook |
| rinpol | 2234.00 | | NIST Webbook |
| tb | 797.82 | K | Joback Method |
| tc | 980.78 | K | Joback Method |
| tf | 393.55 | K | Joback Method |
| vc | 1.325 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 1095.14 | J/molxK | 797.82 | Joback Method |
| cpg | 1116.34 | J/molxK | 828.31 | Joback Method |
| cpg | 1136.41 | J/molxK | 858.81 | Joback Method |
| cpg | 1155.41 | J/molxK | 889.30 | Joback Method |
| cpg | 1173.36 | J/molxK | 919.79 | Joback Method |
| cpg | 1190.33 | J/molxK | 950.29 | Joback Method |
| cpg | 1206.35 | J/molxK | 980.78 | Joback Method |
| dvisc | 0.0019189 | Paxs | 393.55 | Joback Method |

| | | | | |
|-------|-----------|------|--------|---------------|
| dvisc | 0.0005932 | Paxs | 460.93 | Joback Method |
| dvisc | 0.0002474 | Paxs | 528.31 | Joback Method |
| dvisc | 0.0001258 | Paxs | 595.68 | Joback Method |
| dvisc | 0.0000733 | Paxs | 663.06 | Joback Method |
| dvisc | 0.0000473 | Paxs | 730.44 | Joback Method |
| dvisc | 0.0000328 | Paxs | 797.82 | Joback Method |

Sources

| | |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U406266&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307I |
| Crippen Method: | https://www.cheméo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |

Legend

| | |
|-----------------|-------------------------------------------------|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/81-608-7/Hexanoic-acid-3-5-5-trimethyl-tetradec-2-yl-ester.pdf>

Generated by Cheméo on 2024-05-01 03:36:37.075150685 +0000 UTC m=+16823845.995728000.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.