

4-(Hexyloxy)benzoic acid

Other names:	4-n-Hexyloxybenzoic acid Benzoic acid, 4-(hexyloxy)- Benzoic acid, p-(hexyloxy)- p-Hexoylbenzoic acid p-Hexyloxybenzoic acid p-n-Hexyloxybenzoic acid
Inchi:	InChI=1S/C13H18O3/c1-2-3-4-5-10-16-12-8-6-11(7-9-12)13(14)15/h6-9H,2-5,10H2,1H3,
InchiKey:	HBQUXMZZODHFMJ-UHFFFAOYSA-N
Formula:	C13H18O3
SMILES:	CCCCCOC1CCC(C(=O)O)CC1
Mol. weight [g/mol]:	222.28
CAS:	1142-39-8

Physical Properties

Property code	Value	Unit	Source
gf	-209.38	kJ/mol	Joback Method
hf	-483.62	kJ/mol	Joback Method
hfus	3.16	kJ/mol	Thermodynamic Study of 4-n-Alkyloxybenzoic Acids
hvap	73.31	kJ/mol	Joback Method
log10ws	-3.74		Crippen Method
logp	3.344		Crippen Method
mcvol	183.580	ml/mol	McGowan Method
pc	2470.27	kPa	Joback Method
tb	696.97	K	Joback Method
tc	890.02	K	Joback Method
tf	408.19	K	Joback Method
vc	0.699	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	500.87	J/mol×K	696.97	Joback Method
cpg	557.93	J/mol×K	857.84	Joback Method

cpg	547.90	J/mol×K	825.67	Joback Method
cpg	537.20	J/mol×K	793.49	Joback Method
cpg	525.80	J/mol×K	761.32	Joback Method
cpg	513.70	J/mol×K	729.14	Joback Method
cpg	567.30	J/mol×K	890.02	Joback Method
dvisc	0.0000404	Pa×s	696.97	Joback Method
dvisc	0.0000593	Pa×s	648.84	Joback Method
dvisc	0.0000925	Pa×s	600.71	Joback Method
dvisc	0.0001560	Pa×s	552.58	Joback Method
dvisc	0.0002906	Pa×s	504.45	Joback Method
dvisc	0.0006175	Pa×s	456.32	Joback Method
dvisc	0.0015672	Pa×s	408.19	Joback Method

Sources

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Thermodynamic Study of
4-n-Alkyloxybenzoic Acids:
Joback Method:

<https://www.doi.org/10.1021/je900776y>

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C1142398&Units=SI>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/83-176-5/4-Hexyloxy-benzoic-acid.pdf>

Generated by Cheméo on 2025-12-23 06:14:49.921543617 +0000 UTC m=+6218687.451584282.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.