

Glutaric acid, di(isobutyl) ester

Other names:	Diisobutyl glutarate
Inchi:	InChI=1S/C13H24O4/c1-10(2)8-16-12(14)6-5-7-13(15)17-9-11(3)4/h10-11H,5-9H2,1-4H3
InchiKey:	UFWRCRCdraUAAO-UHFFFAOYSA-N
Formula:	C13H24O4
SMILES:	CC(C)COC(=O)CCCC(=O)OCC(C)C
Mol. weight [g/mol]:	244.33

Physical Properties

Property code	Value	Unit	Source
af	0.7510		Cheméo Relay (1.0)
hf	-971.91	kJ/mol	Cheméo Relay (1.0)
hfus	27.95	kJ/mol	Joback Method
hvap	69.40	kJ/mol	Cheméo Relay (1.0)
ie	9.61	eV	Cheméo Relay (1.0)
log10ws	-2.89		Cheméo Relay (1.0)
logp	2.555		Crippen Method
mcvol	208.910	ml/mol	McGowan Method
pc	1798.51	kPa	Joback Method
rinpol	1605.00		NIST Webbook
rinpol	1546.00		NIST Webbook
rinpol	1605.00		NIST Webbook
rinpol	1546.00		NIST Webbook
tb	546.63	K	Cheméo Relay (1.0)
tc	699.97	K	Cheméo Relay (1.0)
tf	253.04	K	Cheméo Relay (1.0)
vc	0.805	m3/kmol	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	569.26	J/mol×K	648.54	Joback Method
cpg	652.22	J/mol×K	830.39	Joback Method
cpg	640.21	J/mol×K	800.08	Joback Method
cpg	627.48	J/mol×K	769.77	Joback Method

cpg	614.03	J/mol×K	739.46	Joback Method
cpg	599.84	J/mol×K	709.16	Joback Method
cpg	584.92	J/mol×K	678.85	Joback Method
dvisc	0.0003440	Pa×s	499.56	Joback Method
dvisc	0.0001169	Pa×s	648.54	Joback Method
dvisc	0.0001578	Pa×s	598.88	Joback Method
dvisc	0.0002249	Pa×s	549.22	Joback Method
dvisc	0.0025317	Pa×s	350.59	Joback Method
dvisc	0.0005777	Pa×s	449.91	Joback Method
dvisc	0.0011034	Pa×s	400.25	Joback Method

Sources

Cheméo Relay (1.0):

Cheméo Relay (1.0, beta):

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C71195647&Units=SI>

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Legend

af:	Acentric Factor
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point

vc: Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/83-272-8/Glutaric-acid-di-isobutyl-ester.pdf>

Generated by Cheméo on 2026-07-21 15:21:20.072026017 +0000 UTC m=+158375.913911391.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.