

m-Toluic acid, 4-cyanophenyl ester

| | |
|-----------------------------|--|
| Other names: | m-Toluylic acid, 4-cyanophenyl ester |
| Inchi: | InChI=1S/C15H11NO2/c1-11-3-2-4-13(9-11)15(17)18-14-7-5-12(10-16)6-8-14/h2-9H,1H3 |
| InchiKey: | MXIPYKKEKPKQ-UHFFFAOYSA-N |
| Formula: | C15H11NO2 |
| SMILES: | <chem>Cc1cccc(C(=O)Oc2ccc(C#N)cc2)c1</chem> |
| Mol. weight [g/mol]: | 237.25 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | 180.24 | kJ/mol | Joback Method |
| hf | 17.27 | kJ/mol | Joback Method |
| hfus | 26.20 | kJ/mol | Joback Method |
| hvap | 74.49 | kJ/mol | Joback Method |
| log10ws | -4.39 | | Crippen Method |
| logp | 3.086 | | Crippen Method |
| mvol | 183.510 | ml/mol | McGowan Method |
| pc | 2487.55 | kPa | Joback Method |
| rinpol | 2042.00 | | NIST Webbook |
| tb | 784.29 | K | Joback Method |
| tc | 1033.83 | K | Joback Method |
| tf | 473.84 | K | Joback Method |
| vc | 0.710 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 483.85 | J/mol×K | 784.29 | Joback Method |
| cpg | 495.73 | J/mol×K | 825.88 | Joback Method |
| cpg | 506.51 | J/mol×K | 867.47 | Joback Method |
| cpg | 516.24 | J/mol×K | 909.06 | Joback Method |
| cpg | 524.96 | J/mol×K | 950.65 | Joback Method |
| cpg | 532.72 | J/mol×K | 992.24 | Joback Method |
| cpg | 539.55 | J/mol×K | 1033.83 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.cheméo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U307569&Units=SI |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvp: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinp: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/84-988-3/m-Toluic-acid-4-cyanophenyl-ester.pdf>

Generated by Cheméo on 2024-04-23 14:30:51.880801842 +0000 UTC m=+16171900.801379157.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.