

# Thiophene-2-carboxamide, N-(1-naphthyl)-

<b>Inchi:</b>	InChI=1S/C15H11NOS/c17-15(14-9-4-10-18-14)16-13-8-3-6-11-5-1-2-7-12(11)13/h1-10H
<b>InchiKey:</b>	AKWLMJIIIXUBZSM-UHFFFAOYSA-N
<b>Formula:</b>	C15H11NOS
<b>SMILES:</b>	O=C(Nc1cccc2ccccc12)c1cccs1
<b>Mol. weight [g/mol]:</b>	253.32

## Physical Properties

Property code	Value	Unit	Source
log10ws	-5.01		Crippen Method
logp	4.154		Crippen Method
mcvol	187.430	ml/mol	McGowan Method
rinsol	2498.00		NIST Webbook

## Sources

<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=U307076&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=U307076&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Crippen Method:</b>	<a href="https://www.cheméo.com/doc/models/crippen_log10ws">https://www.cheméo.com/doc/models/crippen_log10ws</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>

## Legend

<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>rinsol:</b>	Non-polar retention indices

Latest version available from:

<https://www.cheméo.com/cid/84-993-7/Thiophene-2-carboxamide-N-1-naphthyl.pdf>

Generated by Cheméo on 2024-04-24 14:52:01.105520566 +0000 UTC m=+16259570.026097882.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.