

2-Chlorobenzoic acid, 3-methylbutyl ester

Other names:	Bennzoic acid, 2-chloro, 3-methylbutyl ester
Inchi:	InChI=1S/C12H15ClO2/c1-9(2)7-8-15-12(14)10-5-3-4-6-11(10)13/h3-6,9H,7-8H2,1-2H3
InchiKey:	MPUGTFANXARAQE-UHFFFAOYSA-N
Formula:	C12H15ClO2
SMILES:	CC(C)CCOC(=O)c1ccccc1Cl
Mol. weight [g/mol]:	226.70
CAS:	97989-31-6

Physical Properties

Property code	Value	Unit	Source
gf	-95.35	kJ/mol	Joback Method
hf	-331.77	kJ/mol	Joback Method
hfus	23.95	kJ/mol	Joback Method
hvap	58.40	kJ/mol	Joback Method
log10ws	-3.83		Crippen Method
logp	3.543		Crippen Method
mcvol	175.860	ml/mol	McGowan Method
pc	2410.00	kPa	Joback Method
rinpol	1571.00		NIST Webbook
rinpol	1571.00		NIST Webbook
rinpol	1589.00		NIST Webbook
rinpol	1581.00		NIST Webbook
rinpol	1570.00		NIST Webbook
rinpol	1589.00		NIST Webbook
rinpol	1590.00		NIST Webbook
rinpol	1580.00		NIST Webbook
ripol	2215.00		NIST Webbook
ripol	2215.00		NIST Webbook
ripol	2166.00		NIST Webbook
ripol	2180.00		NIST Webbook
ripol	2204.00		NIST Webbook
ripol	2166.00		NIST Webbook
ripol	2204.00		NIST Webbook
ripol	2178.00		NIST Webbook
tb	618.90	K	Joback Method
tc	834.03	K	Joback Method
tf	351.02	K	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	421.78	J/mol×K	618.90	Joback Method
cpg	436.13	J/mol×K	654.76	Joback Method
cpg	449.61	J/mol×K	690.61	Joback Method
cpg	462.25	J/mol×K	726.47	Joback Method
cpg	474.07	J/mol×K	762.32	Joback Method
cpg	485.09	J/mol×K	798.18	Joback Method
cpg	495.33	J/mol×K	834.03	Joback Method
dvisc	0.0019039	Pa×s	351.02	Joback Method
dvisc	0.0010010	Pa×s	395.67	Joback Method
dvisc	0.0005996	Pa×s	440.31	Joback Method
dvisc	0.0003947	Pa×s	484.96	Joback Method
dvisc	0.0002788	Pa×s	529.61	Joback Method
dvisc	0.0002079	Pa×s	574.25	Joback Method
dvisc	0.0001617	Pa×s	618.90	Joback Method

Sources

Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C97989316&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions

h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀w_s:	Log10 of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
mc_{vol}:	McGowan's characteristic volume
p_c:	Critical Pressure
ri_{pol}:	Non-polar retention indices
ri_{pol}:	Polar retention indices
t_b:	Normal Boiling Point Temperature
t_c:	Critical Temperature
t_f:	Normal melting (fusion) point
v_c:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/85-544-4/2-Chlorobenzoic-acid-3-methylbutyl-ester.pdf>

Generated by Cheméo on 2025-12-22 19:37:00.861158238 +0000 UTC m=+6180418.391198903.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.