

Anisyl acetate

Other names:	Benzenemethanol, 4-methoxy-, acetate p-anisyl acetate
Inchi:	InChI=1S/C10H12O3/c1-8(11)13-7-9-3-5-10(12-2)6-4-9/h3-6H,7H2,1-2H3
InchiKey:	HFNGYHHRMSKEU-UHFFFAOYSA-N
Formula:	C10H12O3
SMILES:	<chem>COc1ccc(COC(C)=O)cc1</chem>
Mol. weight [g/mol]:	180.20
CAS:	1331-83-5

Physical Properties

Property code	Value	Unit	Source
gf	-202.82	kJ/mol	Joback Method
hf	-401.69	kJ/mol	Joback Method
hfus	19.28	kJ/mol	Joback Method
hvap	52.36	kJ/mol	Joback Method
log10ws	-2.17		Crippen Method
logp	1.758		Crippen Method
mcvol	141.310	ml/mol	McGowan Method
pc	2976.29	kPa	Joback Method
rinpol	1426.00		NIST Webbook
rinpol	1426.00		NIST Webbook
rinpol	1376.00		NIST Webbook
rinpol	1387.00		NIST Webbook
rinpol	1382.00		NIST Webbook
rinpol	1382.50		NIST Webbook
rinpol	1387.00		NIST Webbook
rinpol	1426.00		NIST Webbook
rinpol	1380.00		NIST Webbook
rinpol	1419.00		NIST Webbook
rinpol	1376.00		NIST Webbook
rinpol	1376.00		NIST Webbook
rinpol	1413.00		NIST Webbook
rinpol	1390.00		NIST Webbook
ripol	2199.00		NIST Webbook
tb	558.57	K	Joback Method
tc	770.06	K	Joback Method
tf	335.79	K	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	323.98	J/molxK	558.57	Joback Method
cpg	382.66	J/molxK	734.81	Joback Method
cpg	372.24	J/molxK	699.56	Joback Method
cpg	361.16	J/molxK	664.31	Joback Method
cpg	349.42	J/molxK	629.07	Joback Method
cpg	337.02	J/molxK	593.82	Joback Method
cpg	392.43	J/molxK	770.06	Joback Method
dvisc	0.0001728	Paxs	558.57	Joback Method
dvisc	0.0002153	Paxs	521.44	Joback Method
dvisc	0.0002774	Paxs	484.31	Joback Method
dvisc	0.0003728	Paxs	447.18	Joback Method
dvisc	0.0005287	Paxs	410.05	Joback Method
dvisc	0.0008036	Paxs	372.92	Joback Method
dvisc	0.0013400	Paxs	335.79	Joback Method

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C1331835&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions

h_{vap}:	Enthalpy of vaporization at standard conditions
log₁₀w_s:	Log ₁₀ of Water solubility in mol/l
log_p:	Octanol/Water partition coefficient
m_{cvol}:	McGowan's characteristic volume
p_c:	Critical Pressure
r_{inpol}:	Non-polar retention indices
r_{ipol}:	Polar retention indices
t_b:	Normal Boiling Point Temperature
t_c:	Critical Temperature
t_f:	Normal melting (fusion) point
v_c:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/85-809-0/Anisyl-acetate.pdf>

Generated by Cheméo on 2024-04-19 21:00:29.731807857 +0000 UTC m=+15849678.652385169.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.