

Benzenepropanoic acid, 4-hydroxy-, methyl ester

Other names:	Hydrocinnamic acid, p-hydroxy-, methyl ester Methyl p-hydroxyhydrocinnamate Methyl 3-(p-hydroxyphenyl)propionate Methyl 3-(4-hydroxyphenyl)propionate Methyl 4-hydroxyhydrocinnamate Methyl 3-(4-hydroxyphenyl)propanoate 3-(4-Hydroxyphenyl)propionic acid, methyl ester Propanoic acid, 3-(4-hydroxyphenyl), methyl ester
Inchi:	InChI=1S/C10H12O3/c1-13-10(12)7-4-8-2-5-9(11)6-3-8/h2-3,5-6,11H,4,7H2,1H3
InchiKey:	XRAMJHXWXC MGJM-UHFFFAOYSA-N
Formula:	C10H12O3
SMILES:	COC(=O)CCc1ccc(O)cc1
Mol. weight [g/mol]:	180.20
CAS:	5597-50-2

Physical Properties

Property code	Value	Unit	Source
gf	-242.81	kJ/mol	Joback Method
hf	-435.31	kJ/mol	Joback Method
hfus	24.27	kJ/mol	Joback Method
hvap	62.30	kJ/mol	Joback Method
log10ws	-1.52		Crippen Method
logp	1.498		Crippen Method
mcvol	141.310	ml/mol	McGowan Method
pc	3664.21	kPa	Joback Method
rinpol	1595.20		NIST Webbook
tb	611.79	K	Joback Method
tc	835.24	K	Joback Method
tf	412.76	K	Joback Method
vc	0.477	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
---------------	-------	------	-----------------	--------

cpg	350.48	J/mol×K	611.79	Joback Method
cpg	403.75	J/mol×K	798.00	Joback Method
cpg	394.42	J/mol×K	760.76	Joback Method
cpg	384.49	J/mol×K	723.51	Joback Method
cpg	373.90	J/mol×K	686.27	Joback Method
cpg	362.58	J/mol×K	649.03	Joback Method
cpg	412.55	J/mol×K	835.24	Joback Method
dvisc	0.0000320	Pa×s	611.79	Joback Method
dvisc	0.0000473	Pa×s	578.62	Joback Method
dvisc	0.0000734	Pa×s	545.45	Joback Method
dvisc	0.0001203	Pa×s	512.27	Joback Method
dvisc	0.0002113	Pa×s	479.10	Joback Method
dvisc	0.0004034	Pa×s	445.93	Joback Method
dvisc	0.0008548	Pa×s	412.76	Joback Method

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbrp	381.20	K	1.50	NIST Webbook

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C5597502&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions

hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpola:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tbrp:	Boiling point at reduced pressure
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/85-811-7/Benzenepropanoic-acid-4-hydroxy-methyl-ester.pdf>

Generated by Cheméo on 2025-12-24 00:18:24.714106216 +0000 UTC m=+6283702.244146870.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.