

Clofibric Acid

Other names:	2-(p-Chlorophenoxy)-2-methylpropionic acid
	2-(p-Chlorophenoxy)isobutyric acid
	«alpha»-(p-Chlorophenoxy)isobutyric acid
	Propanoic acid, 2-(4-chlorophenoxy)-2-methyl-
	«alpha»-(4-Chlorophenoxy)-«alpha»-methylpropionic acid
	«alpha»-(4-Chlorophenoxy)isobutyric acid
	(p-Chlorophenoxy)isobutyric acid
	Acetic acid, (p-chlorophenoxy)dimethyl-
	Chlorfibrinic acid
	Chlorofibrinic acid
	Chlorophibrinic acid
	Clofibrate free acid
	Clofibrin
	Clofibrinic acid
	CPIB
	Propionic acid, 2-(p-chlorophenoxy)-2-methyl-
	PCIB
	PCPIB
	Regadrin
	Regulipid
	2-(4-Chlorophenoxy)-2-methylpropanoic acid
	2-(4-Chlorophenoxy)-2-methylpropionic acid
	4-(Chlorophenoxy)isobutyric acid
	4-CPIB
	Acide (p-chlorophenoxy)-2 methyl-2 propionique
	Clofibrinsaeure
	Propanoic acid, 2-methyl, 2-(4-chlorophenyloxy)
	2-(p-Chlorophenoxy)-2-methylpropanoic acid
	NSC 1149
Inchi:	InChI=1S/C10H11ClO3/c1-10(2,9(12)13)14-8-5-3-7(11)4-6-8/h3-6H,1-2H3,(H,12,13)
InchiKey:	TXCGAZHTZHNUAI-UHFFFAOYSA-N
Formula:	C10H11ClO3
SMILES:	CC(C)(Oc1ccc(Cl)cc1)C(=O)O
Mol. weight [g/mol]:	214.65
CAS:	882-09-7

Physical Properties

Property code	Value	Unit	Source
gf	-243.73	kJ/mol	Joback Method
hf	-446.19	kJ/mol	Joback Method
hfus	18.97	kJ/mol	Joback Method
hvap	69.72	kJ/mol	Joback Method
log10ws	-2.74		Crippen Method
logp	2.582		Crippen Method
mcvol	153.550	ml/mol	McGowan Method
pc	3295.37	kPa	Joback Method
tb	662.53	K	Joback Method
tc	876.48	K	Joback Method
tf	406.72	K	Joback Method
vc	0.569	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	376.92	J/mol×K	662.53	Joback Method
cpg	387.37	J/mol×K	698.19	Joback Method
cpg	397.08	J/mol×K	733.85	Joback Method
cpg	406.08	J/mol×K	769.51	Joback Method
cpg	414.40	J/mol×K	805.17	Joback Method
cpg	422.09	J/mol×K	840.82	Joback Method
cpg	429.18	J/mol×K	876.48	Joback Method
dvisc	0.0017046	Pa×s	406.72	Joback Method
dvisc	0.0007134	Pa×s	449.36	Joback Method
dvisc	0.0003472	Pa×s	491.99	Joback Method
dvisc	0.0001896	Pa×s	534.62	Joback Method
dvisc	0.0001132	Pa×s	577.26	Joback Method
dvisc	0.0000725	Pa×s	619.89	Joback Method
dvisc	0.0000492	Pa×s	662.53	Joback Method

Sources

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C882097&Units=SI>

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/86-006-0/Clofibric-Acid.pdf>

Generated by Cheméo on 2025-12-23 06:32:00.042778772 +0000 UTC m=+6219717.572819429.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.