

1,2-Benzenediamine, N,N,N',N'-tetramethyl-

Other names:	N,N,N',N'-Tetramethyl-1,2-benzenediamine N,N,N',N'-Tetramethyl-o-phenylenediamine o-Phenylenebis(dimethylamine) o-Phenylenediamine, N,N,N',N'-tetramethyl- N1,N1,N2,N2-Tetramethyl-1,2-benzenediamine 1,2-Phenylenediamine, N,N,N',N'-tetramethyl- N,N,N',N'-tetramethylbenzene-1,2-diamine
Inchi:	InChI=1S/C10H16N2/c1-11(2)9-7-5-6-8-10(9)12(3)4/h5-8H,1-4H3
InchiKey:	CJVYYDCBKKKIPD-UHFFFAOYSA-N
Formula:	C10H16N2
SMILES:	CN(C)c1ccccc1N(C)C
Mol. weight [g/mol]:	164.25
CAS:	704-01-8

Physical Properties

Property code	Value	Unit	Source
affp	982.60	kJ/mol	NIST Webbook
basg	950.20	kJ/mol	NIST Webbook
gf	357.66	kJ/mol	Joback Method
hf	110.39	kJ/mol	Joback Method
hfus	21.35	kJ/mol	Joback Method
hvap	44.88	kJ/mol	Joback Method
ie	7.10	eV	NIST Webbook
ie	7.36	eV	NIST Webbook
log10ws	-1.29		Crippen Method
logp	1.819		Crippen Method
mcvol	147.960	ml/mol	McGowan Method
pc	2871.95	kPa	Joback Method
rinpol	1246.00		NIST Webbook
rinpol	1246.00		NIST Webbook
tb	484.74	K	Joback Method
tc	685.33	K	Joback Method
tf	306.34	K	Joback Method
vc	0.523	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	322.36	J/mol×K	484.74	Joback Method
cpg	338.74	J/mol×K	518.17	Joback Method
cpg	354.17	J/mol×K	551.60	Joback Method
cpg	368.69	J/mol×K	585.03	Joback Method
cpg	382.34	J/mol×K	618.47	Joback Method
cpg	395.17	J/mol×K	651.90	Joback Method
cpg	407.21	J/mol×K	685.33	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C704018&Units=SI

Legend

affp:	Proton affinity
basg:	Gas basicity
cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature

tf: Normal melting (fusion) point
vc: Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/86-078-1/1-2-Benzenediamine-N-N-N-N-tetramethyl.pdf>

Generated by Cheméo on 2025-12-05 08:21:13.643445331 +0000 UTC m=+4671071.173485995.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.