

Succinic acid, 2-ethylhexyl cis-4-tert-butylcyclohexyl ester

| | |
|-----------------------------|--|
| Inchi: | InChI=1S/C22H40O4/c1-6-8-9-17(7-2)16-25-20(23)14-15-21(24)26-19-12-10-18(11-13-1 |
| InchiKey: | FZUKCLZQTYFCQV-UHFFFAOYSA-N |
| Formula: | C22H40O4 |
| SMILES: | CCCCC(CC)COC(=O)CCC(=O)OC1CCC(C(C)(C)C)CC1 |
| Mol. weight [g/mol]: | 368.55 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | -316.34 | kJ/mol | Joback Method |
| hf | -967.06 | kJ/mol | Joback Method |
| hfus | 40.28 | kJ/mol | Joback Method |
| hvap | 81.31 | kJ/mol | Joback Method |
| log10ws | -6.04 | | Crippen Method |
| logp | 5.674 | | Crippen Method |
| mvol | 324.860 | ml/mol | McGowan Method |
| pc | 1082.78 | kPa | Joback Method |
| rinpol | 2445.00 | | NIST Webbook |
| rinpol | 2445.00 | | NIST Webbook |
| tb | 866.55 | K | Joback Method |
| tc | 1069.84 | K | Joback Method |
| tf | 472.58 | K | Joback Method |
| vc | 1.230 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 1093.84 | J/molxK | 866.55 | Joback Method |
| cpg | 1113.55 | J/molxK | 900.43 | Joback Method |
| cpg | 1131.78 | J/molxK | 934.31 | Joback Method |
| cpg | 1148.59 | J/molxK | 968.19 | Joback Method |
| cpg | 1164.01 | J/molxK | 1002.07 | Joback Method |
| cpg | 1178.09 | J/molxK | 1035.96 | Joback Method |
| cpg | 1190.86 | J/molxK | 1069.84 | Joback Method |
| dvisc | 0.0008924 | Paxs | 472.58 | Joback Method |

| | | | | |
|-------|-----------|------|--------|---------------|
| dvisc | 0.0003833 | Paxs | 538.24 | Joback Method |
| dvisc | 0.0001979 | Paxs | 603.90 | Joback Method |
| dvisc | 0.0001163 | Paxs | 669.56 | Joback Method |
| dvisc | 0.0000751 | Paxs | 735.23 | Joback Method |
| dvisc | 0.0000522 | Paxs | 800.89 | Joback Method |
| dvisc | 0.0000383 | Paxs | 866.55 | Joback Method |

Sources

| | |
|------------------------|---|
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U390190&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |

Legend

| | |
|----------------------------|---|
| cp_g: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log₁₀ws: | Log ₁₀ of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| m_{cvol}: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/86-869-3/Succinic-acid-2-ethylhexyl-cis-4-tert-butylcyclohexyl-ester.pdf>

Generated by Cheméo on 2024-04-23 09:49:24.061947973 +0000 UTC m=+16155012.982525288.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.