

Glutaric acid, dodec-2-en-1-yl 3-methylbut-2-yl ester

| | |
|-----------------------------|--|
| Inchi: | InChI=1S/C22H40O4/c1-5-6-7-8-9-10-11-12-13-14-18-25-21(23)16-15-17-22(24)26-20(4 |
| InchiKey: | HOJHNYVIJHVCDW-BUHFOSPRSA-N |
| Formula: | C22H40O4 |
| SMILES: | CCCCCCCCC=CCOC(=O)CCCC(=O)OC(C)C(C)C |
| Mol. weight [g/mol]: | 368.55 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | -258.14 | kJ/mol | Joback Method |
| hf | -880.35 | kJ/mol | Joback Method |
| hfus | 51.47 | kJ/mol | Joback Method |
| hvap | 82.06 | kJ/mol | Joback Method |
| log10ws | -6.48 | | Crippen Method |
| logp | 5.985 | | Crippen Method |
| mvol | 331.420 | ml/mol | McGowan Method |
| pc | 995.13 | kPa | Joback Method |
| rinpol | 2446.00 | | NIST Webbook |
| rinpol | 2446.00 | | NIST Webbook |
| tb | 858.62 | K | Joback Method |
| tc | 1052.44 | K | Joback Method |
| tf | 446.94 | K | Joback Method |
| vc | 1.284 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 1066.75 | J/molxK | 858.62 | Joback Method |
| cpg | 1085.35 | J/molxK | 890.92 | Joback Method |
| cpg | 1102.80 | J/molxK | 923.23 | Joback Method |
| cpg | 1119.14 | J/molxK | 955.53 | Joback Method |
| cpg | 1134.39 | J/molxK | 987.83 | Joback Method |
| cpg | 1148.60 | J/molxK | 1020.13 | Joback Method |
| cpg | 1161.79 | J/molxK | 1052.44 | Joback Method |
| dvisc | 0.0008719 | Paxs | 446.94 | Joback Method |

| | | | | |
|-------|-----------|------|--------|---------------|
| dvisc | 0.0003392 | Paxs | 515.55 | Joback Method |
| dvisc | 0.0001647 | Paxs | 584.17 | Joback Method |
| dvisc | 0.0000931 | Paxs | 652.78 | Joback Method |
| dvisc | 0.0000587 | Paxs | 721.39 | Joback Method |
| dvisc | 0.0000401 | Paxs | 790.01 | Joback Method |
| dvisc | 0.0000291 | Paxs | 858.62 | Joback Method |

Sources

| | |
|------------------------|---|
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U393574&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/86-876-5/Glutaric-acid-dodec-2-en-1-yl-3-methylbut-2-yl-ester.pdf>

Generated by Cheméo on 2024-04-20 02:38:42.725520038 +0000 UTC m=+15869971.646097412.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.