

1-Phenanthrenecarboxylic acid, 7-ethenyl-1,2,3,4,4a,4b,5,6,7,9,10,10a-dodecahydro-

Other names: Podocarp-8(14)-en-15-oic acid, 13«alpha»-methyl-13-vinyl-, methyl ester

methyl ester Methyl pimarate

[1R-(1«alpha»,4a«beta»,4b«alpha»,7«beta»,10a«alpha»)]

Inchi: InChI=1S/C21H32O2/c1-6-19(2)13-10-16-15(14-19)8-9-17-20(16,3)11-7-12-21(17,4)18(2)

InchiKey: BGCXKCIPDDNDEV-DIZVHYTASA-N

Formula: C21H32O2

SMILES: C=CC1(C)C=C2CCC3C(C)(C(=O)OC)CCCC3(C)C2CC1

Mol. weight [g/mol]: 316.48

CAS: 3730-56-1

Physical Properties

Property code	Value	Unit	Source
gf	90.05	kJ/mol	Joback Method
hf	-357.19	kJ/mol	Joback Method
hfus	19.64	kJ/mol	Joback Method
hvap	68.31	kJ/mol	Joback Method
log10ws	-5.66		Crippen Method
logp	5.295		Crippen Method
mcvol	273.010	ml/mol	McGowan Method
pc	1548.78	kPa	Joback Method
rinpol	2214.00		NIST Webbook
rinpol	2231.00		NIST Webbook
rinpol	2239.00		NIST Webbook
rinpol	2214.00		NIST Webbook
rinpol	2198.00		NIST Webbook
rinpol	2239.00		NIST Webbook
rinpol	2243.00		NIST Webbook
rinpol	2243.00		NIST Webbook
ripol	2776.00		NIST Webbook
ripol	2770.00		NIST Webbook
ripol	2770.00		NIST Webbook
tb	789.94	K	Joback Method
tc	1026.62	K	Joback Method
tf	509.55	K	Joback Method
vc	1.026	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	884.46	J/mol×K	789.94	Joback Method
cpg	910.70	J/mol×K	829.39	Joback Method
cpg	937.05	J/mol×K	868.83	Joback Method
cpg	963.92	J/mol×K	908.28	Joback Method
cpg	991.75	J/mol×K	947.73	Joback Method
cpg	1020.95	J/mol×K	987.17	Joback Method
cpg	1051.97	J/mol×K	1026.62	Joback Method

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C3730561&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/87-241-8/1-Phenanthrenecarboxylic-acid-7-ethenyl-1-2-3-4-4a-4b-5-6-7-9-10-10a-dode>

Generated by Cheméo on 2024-04-19 00:41:19.670936191 +0000 UTC m=+15776528.591513535.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.