

Glutaric acid, 2-methylpent-3-yl trans-4-tert-butylcyclohexyl ester

| | |
|-----------------------------|--|
| Inchi: | InChI=1S/C21H38O4/c1-7-18(15(2)3)25-20(23)10-8-9-19(22)24-17-13-11-16(12-14-17)2 |
| InchiKey: | QVZJCFNTXDRNQP-UHFFFAOYSA-N |
| Formula: | C21H38O4 |
| SMILES: | CCC(OC(=O)CCCC(=O)OC1CCC(C(C)(C)C)CC1)C(C)C |
| Mol. weight [g/mol]: | 354.52 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|---------|----------------|
| gf | -327.20 | kJ/mol | Joback Method |
| hf | -951.70 | kJ/mol | Joback Method |
| hfus | 34.17 | kJ/mol | Joback Method |
| hvap | 78.70 | kJ/mol | Joback Method |
| log10ws | -5.73 | | Crippen Method |
| logp | 5.283 | | Crippen Method |
| mcvol | 310.770 | ml/mol | McGowan Method |
| pc | 1160.87 | kPa | Joback Method |
| rinpol | 2356.00 | | NIST Webbook |
| rinpol | 2356.00 | | NIST Webbook |
| tb | 843.23 | K | Joback Method |
| tc | 1047.53 | K | Joback Method |
| tf | 446.31 | K | Joback Method |
| vc | 1.169 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 1032.49 | J/molxK | 843.23 | Joback Method |
| cpg | 1117.53 | J/molxK | 1013.48 | Joback Method |
| cpg | 1103.30 | J/molxK | 979.43 | Joback Method |
| cpg | 1087.72 | J/molxK | 945.38 | Joback Method |
| cpg | 1070.75 | J/molxK | 911.33 | Joback Method |
| cpg | 1052.36 | J/molxK | 877.28 | Joback Method |
| cpg | 1130.44 | J/molxK | 1047.53 | Joback Method |
| dvisc | 0.0000408 | Paxs | 843.23 | Joback Method |

| | | | | |
|-------|-----------|------|--------|---------------|
| dvisc | 0.0000564 | Paxs | 777.08 | Joback Method |
| dvisc | 0.0000830 | Paxs | 710.92 | Joback Method |
| dvisc | 0.0001320 | Paxs | 644.77 | Joback Method |
| dvisc | 0.0002335 | Paxs | 578.62 | Joback Method |
| dvisc | 0.0004787 | Paxs | 512.46 | Joback Method |
| dvisc | 0.0012139 | Paxs | 446.31 | Joback Method |

Sources

| | |
|------------------------|---|
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U393401&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307l |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/87-265-2/Glutaric-acid-2-methylpent-3-yl-trans-4-tert-butylcyclohexyl-ester.pdf>

Generated by Cheméo on 2024-04-24 18:56:34.667657852 +0000 UTC m=+16274243.588235168.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.