

Butanoic acid, 2-methyl-, octyl ester

Other names:	n-Octyl 2-methyl butyrate Octyl 2-methylbutanoate n-octyl 2-methylbutanoate Octyl 2-methylbutyrate Butyric acid, 2-methyl-, octyl ester
Inchi:	InChI=1S/C13H26O2/c1-4-6-7-8-9-10-11-15-13(14)12(3)5-2/h12H,4-11H2,1-3H3
InchiKey:	BCOJVEMHTBSAOE-UHFFFAOYSA-N
Formula:	C13H26O2
SMILES:	CCCCCCCCOC(=O)C(C)CC
Mol. weight [g/mol]:	214.34
CAS:	29811-50-5

Physical Properties

Property code	Value	Unit	Source
gf	-177.78	kJ/mol	Joback Method
hf	-561.73	kJ/mol	Joback Method
hfus	28.69	kJ/mol	Joback Method
hvap	53.30	kJ/mol	Joback Method
log10ws	-3.88		Crippen Method
logp	3.936		Crippen Method
mcvol	201.470	ml/mol	McGowan Method
pc	1718.88	kPa	Joback Method
rinpol	1429.00		NIST Webbook
rinpol	1422.00		NIST Webbook
rinpol	1421.00		NIST Webbook
rinpol	1436.00		NIST Webbook
rinpol	1421.00		NIST Webbook
rinpol	1413.00		NIST Webbook
rinpol	1438.00		NIST Webbook
rinpol	1434.00		NIST Webbook
rinpol	1421.00		NIST Webbook
rinpol	1421.00		NIST Webbook
rinpol	1436.00		NIST Webbook
rinpol	1430.00		NIST Webbook
rinpol	1418.00		NIST Webbook
rinpol	1422.00		NIST Webbook
rinpol	1422.00		NIST Webbook

ripol	1429.00		NIST Webbook
ripol	1422.00		NIST Webbook
ripol	1418.00		NIST Webbook
ripol	1615.00		NIST Webbook
ripol	1623.00		NIST Webbook
ripol	1634.00		NIST Webbook
ripol	1615.00		NIST Webbook
ripol	1623.00		NIST Webbook
ripol	1634.00		NIST Webbook
tb	572.69	K	Joback Method
tc	744.36	K	Joback Method
tf	293.43	K	Joback Method
vc	0.781	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	515.10	J/molxK	572.69	Joback Method
cpg	531.74	J/molxK	601.30	Joback Method
cpg	547.70	J/molxK	629.91	Joback Method
cpg	563.00	J/molxK	658.53	Joback Method
cpg	577.64	J/molxK	687.14	Joback Method
cpg	591.64	J/molxK	715.75	Joback Method
cpg	605.00	J/molxK	744.36	Joback Method
dvisc	0.0040106	Paxs	293.43	Joback Method
dvisc	0.0016218	Paxs	339.97	Joback Method
dvisc	0.0008156	Paxs	386.52	Joback Method
dvisc	0.0004755	Paxs	433.06	Joback Method
dvisc	0.0003078	Paxs	479.60	Joback Method
dvisc	0.0002152	Paxs	526.15	Joback Method
dvisc	0.0001594	Paxs	572.69	Joback Method

Sources

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C29811505&Units=SI>

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpola:	Non-polar retention indices
ripola:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/90-792-3/Butanoic-acid-2-methyl-octyl-ester.pdf>

Generated by Cheméo on 2024-04-26 17:29:24.565680018 +0000 UTC m=+16441813.486257334.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.