

Propanoic acid, 2-methyl-, 3-phenyl-2-propenyl ester

Other names:

Isobutyric acid, cinnamyl ester

Cinnamyl isobutyrate

2-Methyl-propanoic acid, 3-phenyl-2-propenyl ester

Inchi:

InChI=1S/C13H16O2/c1-11(2)13(14)15-10-6-9-12-7-4-3-5-8-12/h3-9,11H,10H2,1-2H3/b9

InchiKey:

KLKQSZIWHVEARN-RMKNXTFCSA-N

Formula:

C13H16O2

SMILES:

CC(C)C(=O)OCC=Cc1ccccc1

Mol. weight [g/mol]:

204.26

CAS:

103-59-3

Physical Properties

Property code	Value	Unit	Source
gf	14.85	kJ/mol	Joback Method
hf	-207.98	kJ/mol	Joback Method
hfus	22.93	kJ/mol	Joback Method
hvap	55.53	kJ/mol	Joback Method
log10ws	-3.01		Crippen Method
logp	2.899		Crippen Method
mcvol	173.410	ml/mol	McGowan Method
pc	2429.05	kPa	Joback Method
ripol	1562.00		NIST Webbook
ripol	1562.00		NIST Webbook
ripol	1555.00		NIST Webbook
ripol	1562.00		NIST Webbook
ripol	1555.00		NIST Webbook
ripol	2179.00		NIST Webbook
ripol	2107.00		NIST Webbook
ripol	2179.00		NIST Webbook
ripol	2107.00		NIST Webbook
ripol	2108.00		NIST Webbook
ripol	2171.00		NIST Webbook
ripol	2171.00		NIST Webbook
tb	603.53	K	Joback Method
tc	819.28	K	Joback Method
tf	314.77	K	Joback Method
vc	0.653	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	423.50	J/molxK	603.53	Joback Method
cpg	439.17	J/molxK	639.49	Joback Method
cpg	453.85	J/molxK	675.45	Joback Method
cpg	467.59	J/molxK	711.40	Joback Method
cpg	480.44	J/molxK	747.36	Joback Method
cpg	492.43	J/molxK	783.32	Joback Method
cpg	503.60	J/molxK	819.28	Joback Method
dvisc	0.0025937	Paxs	314.77	Joback Method
dvisc	0.0011404	Paxs	362.90	Joback Method
dvisc	0.0006078	Paxs	411.02	Joback Method
dvisc	0.0003696	Paxs	459.15	Joback Method
dvisc	0.0002470	Paxs	507.28	Joback Method
dvisc	0.0001770	Paxs	555.40	Joback Method
dvisc	0.0001338	Paxs	603.53	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C103593&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions

log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/90-893-1/Propanoic-acid-2-methyl-3-phenyl-2-propenyl-ester.pdf>

Generated by Cheméo on 2024-04-26 03:03:09.720664138 +0000 UTC m=+16389838.641241450.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.