

Dibromophenyl ether

Other names:	2,2',4,4'-Tetrabromodiphenyl ether BDE-47
Inchi:	InChI=1S/C12H6Br4O/c13-7-1-3-11(9(15)5-7)17-12-4-2-8(14)6-10(12)16/h1-6H
InchiKey:	XYBSIYMGXVUVGY-UHFFFAOYSA-N
Formula:	C12H6Br4O
SMILES:	Brc1ccc(Oc2ccc(Br)cc2Br)c(Br)c1
Mol. weight [g/mol]:	485.79
CAS:	5436-43-1

Physical Properties

Property code	Value	Unit	Source
gf	188.74	kJ/mol	Joback Method
hf	109.27	kJ/mol	Joback Method
hfus	35.69	kJ/mol	Joback Method
hvap	77.66	kJ/mol	Joback Method
log10ws	-7.76		Crippen Method
logp	6.529		Crippen Method
mcvol	208.290	ml/mol	McGowan Method
pc	4391.59	kPa	Joback Method
tb	834.30	K	Joback Method
tc	1127.74	K	Joback Method
tf	589.35	K	Joback Method
vc	0.757	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	417.90	J/mol×K	834.30	Joback Method
cpg	426.46	J/mol×K	883.21	Joback Method
cpg	434.25	J/mol×K	932.11	Joback Method
cpg	441.38	J/mol×K	981.02	Joback Method
cpg	447.96	J/mol×K	1029.92	Joback Method
cpg	454.12	J/mol×K	1078.83	Joback Method
cpg	459.97	J/mol×K	1127.74	Joback Method

dvisc	0.0000989	Pa×s	834.30	Joback Method
dvisc	0.0002675	Pa×s	630.17	Joback Method
dvisc	0.0003545	Pa×s	589.35	Joback Method
dvisc	0.0001677	Pa×s	711.83	Joback Method
dvisc	0.0001380	Pa×s	752.65	Joback Method
dvisc	0.0001158	Pa×s	793.47	Joback Method
dvisc	0.0002088	Pa×s	671.00	Joback Method
psub	2.54e-07	kPa	313.54	Measurement of Vapor Pressures of Selected PBDEs, Hexabromobenzene, and 1,2-Bis(2,4,6-tribromophenoxy)ethane at Elevated Temperatures
psub	9.18e-07	kPa	323.60	Measurement of Vapor Pressures of Selected PBDEs, Hexabromobenzene, and 1,2-Bis(2,4,6-tribromophenoxy)ethane at Elevated Temperatures
psub	3.16e-06	kPa	333.47	Measurement of Vapor Pressures of Selected PBDEs, Hexabromobenzene, and 1,2-Bis(2,4,6-tribromophenoxy)ethane at Elevated Temperatures
psub	8.63e-06	kPa	343.36	Measurement of Vapor Pressures of Selected PBDEs, Hexabromobenzene, and 1,2-Bis(2,4,6-tribromophenoxy)ethane at Elevated Temperatures
psub	2.42e-05	kPa	353.37	Measurement of Vapor Pressures of Selected PBDEs, Hexabromobenzene, and 1,2-Bis(2,4,6-tribromophenoxy)ethane at Elevated Temperatures

Sources

Measurement of Vapor Pressures of
Selected PBDEs, Hexabromobenzene,
and Joback Method:
1,2-Bis(2,4,6-tribromophenoxy)ethane
McGowan Method:
at Elevated Temperatures:

NIST Webbook:

Crippen Method:

Crippen Method:

<https://www.doi.org/10.1021/je400520e>

https://en.wikipedia.org/wiki/Joback_method

<http://link.springer.com/article/10.1007/BF02311772>

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C5436431&Units=SI>

<http://pubs.acs.org/doi/abs/10.1021/ci990307I>

https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
psub:	Sublimation pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/93-870-3/Dibromophenyl-ether.pdf>

Generated by Cheméo on 2025-12-19 13:28:09.188415863 +0000 UTC m=+5899086.718456518.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.