

1H-2-Benzopyran-1-one, 3,4-dihydro-8-hydroxy-3-methyl-

Other names:	Isocoumarin, 3,4-dihydro-8-hydroxy-3-methyl- 3,4-Dihydro-8-hydroxy-3-methylisocoumarin Mellein (.+/-)-Mellein 8-Hydroxy-3-methyl-3,4-dihydro-1H-isochromen-1-one 3,4-Dihydro-8-hydroxy-3-methyl-1H-2-benzopyran-1-one, (+/-)- 3,4-Dihydro-8-hydroxy-3-methyl-(1H)-2-benzopyran-1-one Isocoumarin, 3,4-dihydro-8-hydroxy-3-methyl, (+/-)- 3-Methyl-8-hydroxy-3,4-dihydro-1H-2-benzopyran-1-one
Inchi:	InChI=1S/C10H10O3/c1-6-5-7-3-2-4-8(11)9(7)10(12)13-6/h2-4,6,11H,5H2,1H3
InchiKey:	KWILGNNWGSNMPA-UHFFFAOYSA-N
Formula:	C10H10O3
SMILES:	CC1Cc2cccc(O)c2C(=O)O1
Mol. weight [g/mol]:	178.18
CAS:	1200-93-7

Physical Properties

Property code	Value	Unit	Source
gf	-178.58	kJ/mol	Joback Method
hf	-405.04	kJ/mol	Joback Method
hfus	24.61	kJ/mol	Joback Method
hvap	62.65	kJ/mol	Joback Method
log10ws	-2.07		Crippen Method
logp	1.494		Crippen Method
mcvol	130.450	ml/mol	McGowan Method
pc	4260.71	kPa	Joback Method
ripol	2432.00		NIST Webbook
ripol	2432.00		NIST Webbook
tb	646.26	K	Joback Method
tc	901.80	K	Joback Method
tf	462.33	K	Joback Method
vc	0.430	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	347.99	J/mol×K	646.26	Joback Method
cpg	361.46	J/mol×K	688.85	Joback Method
cpg	373.97	J/mol×K	731.44	Joback Method
cpg	385.61	J/mol×K	774.03	Joback Method
cpg	396.45	J/mol×K	816.62	Joback Method
cpg	406.60	J/mol×K	859.21	Joback Method
cpg	416.13	J/mol×K	901.80	Joback Method

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C1200937&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/94-431-9/1H-2-Benzopyran-1-one-3-4-dihydro-8-hydroxy-3-methyl.pdf>

Generated by Cheméo on 2024-04-19 00:30:51.175674449 +0000 UTC m=+15775900.096251778.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.