

«gamma»-Aminobutyric acid, N-isobutoxycarbonyl-, octadecyl ester

Other names: .gama.-Aminobutyric acid, N-isobutoxycarbonyl-, octadecyl ester

Inchi: InChI=1S/C27H53NO4/c1-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19-23-31-26(29)21-2

InchiKey: YMOBGXXSYNRZEW-UHFFFAOYSA-N

Formula: C27H53NO4

SMILES: CCCCCCCCCCCCCCCCCCOC(=O)CCCN=C(O)OCC(C)C

Mol. weight [g/mol]: 455.71

Physical Properties

Property code	Value	Unit	Source
hf	-1062.71	kJ/mol	Joback Method
hvap	106.95	kJ/mol	Joback Method
log10ws	-8.31		Crippen Method
logp	8.158		Crippen Method
mcvol	416.150	ml/mol	McGowan Method
pc	699.50	kPa	Joback Method
tb	1084.17	K	Joback Method
tc	1368.09	K	Joback Method

Sources

Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws

Joback Method: https://en.wikipedia.org/wiki/Joback_method

McGowan Method: <http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=U321060&Units=SI>

Legend

hf: Enthalpy of formation at standard conditions

hvap: Enthalpy of vaporization at standard conditions

log10ws: Log10 of Water solubility in mol/l

logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature

Latest version available from:

<https://www.cheméo.com/cid/94-926-0/gamma-Aminobutyric-acid-N-isobutoxycarbonyl-octadecyl-ester.pdf>

Generated by Cheméo on 2024-05-06 21:36:51.923471724 +0000 UTC m=+17320660.844049035.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.