

Fumaric acid, 2-nitrophenyl dec-2-yl ester

| | |
|-----------------------------|--|
| Inchi: | InChI=1S/C20H27NO6/c1-3-4-5-6-7-8-11-16(2)26-19(22)14-15-20(23)27-18-13-10-9-12- |
| InchiKey: | DENDZTVAWQNIMC-CCEZHUSRSA-N |
| Formula: | C20H27NO6 |
| SMILES: | CCCCCCCCC(C)OC(=O)C=CC(=O)Oc1cccc1[N+](=O)[O-] |
| Mol. weight [g/mol]: | 377.43 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | -134.21 | kJ/mol | Joback Method |
| hf | -619.49 | kJ/mol | Joback Method |
| hfus | 54.82 | kJ/mol | Joback Method |
| hvap | 97.52 | kJ/mol | Joback Method |
| log10ws | -6.29 | | Crippen Method |
| logp | 4.739 | | Crippen Method |
| mcvol | 296.900 | ml/mol | McGowan Method |
| pc | 1415.44 | kPa | Joback Method |
| rinpola | 2747.00 | | NIST Webbook |
| rinpola | 2747.00 | | NIST Webbook |
| tb | 996.80 | K | Joback Method |
| tc | 1226.73 | K | Joback Method |
| tf | 621.95 | K | Joback Method |
| vc | 1.151 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|---------|---------|-----------------|---------------|
| cpg | 959.72 | J/molxK | 996.80 | Joback Method |
| cpg | 972.18 | J/molxK | 1035.12 | Joback Method |
| cpg | 983.41 | J/molxK | 1073.44 | Joback Method |
| cpg | 993.47 | J/molxK | 1111.76 | Joback Method |
| cpg | 1002.42 | J/molxK | 1150.09 | Joback Method |
| cpg | 1010.31 | J/molxK | 1188.41 | Joback Method |
| cpg | 1017.20 | J/molxK | 1226.73 | Joback Method |

Sources

| | |
|------------------------|---|
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=U405800&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvp: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinp: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/97-882-6/Fumaric-acid-2-nitrophenyl-dec-2-yl-ester.pdf>

Generated by Cheméo on 2024-04-24 18:34:17.015987109 +0000 UTC m=+16272905.936564425.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.