

5,6-Dihydro-6-ethyl-2,4-dimethyl-4H-1,3,5-dithiazin

| | |
|-----------------------------|---|
| Other names: | 1,3,5-Dithiazine, perhydro, 6-ethyl-2,4-dimethyl |
| Inchi: | InChI=1S/C7H15NS2/c1-4-7-8-5(2)9-6(3)10-7/h5-8H,4H2,1-3H3 |
| InchiKey: | ZORZRADCTZBZSE-UHFFFAOYSA-N |
| Formula: | C7H15NS2 |
| SMILES: | CCC1NC(C)SC(C)S1 |
| Mol. weight [g/mol]: | 177.33 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|----------------------|----------------|
| gf | 184.52 | kJ/mol | Joback Method |
| hf | -45.84 | kJ/mol | Joback Method |
| hfus | 24.77 | kJ/mol | Joback Method |
| hvap | 49.37 | kJ/mol | Joback Method |
| log10ws | -3.43 | | Crippen Method |
| logp | 2.484 | | Crippen Method |
| mvol | 141.310 | ml/mol | McGowan Method |
| pc | 3310.55 | kPa | Joback Method |
| rinpol | 1262.00 | | NIST Webbook |
| rinpol | 1262.00 | | NIST Webbook |
| tb | 513.98 | K | Joback Method |
| tc | 754.24 | K | Joback Method |
| tf | 439.48 | K | Joback Method |
| vc | 0.487 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 311.63 | J/molxK | 513.98 | Joback Method |
| cpg | 329.14 | J/molxK | 554.02 | Joback Method |
| cpg | 345.73 | J/molxK | 594.07 | Joback Method |
| cpg | 361.40 | J/molxK | 634.11 | Joback Method |
| cpg | 376.16 | J/molxK | 674.15 | Joback Method |
| cpg | 390.00 | J/molxK | 714.20 | Joback Method |
| cpg | 402.94 | J/molxK | 754.24 | Joback Method |

Sources

| | |
|------------------------|---|
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=R44704&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307I |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpola: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/98-634-0/5-6-Dihydro-6-ethyl-2-4-dimethyl-4H-1-3-5-dithiazine.pdf>

Generated by Cheméo on 2024-04-23 06:41:49.296695107 +0000 UTC m=+16143758.217272430.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.