

1,3,7,9-Tetrachlorodibenzo-p-dioxin

Other names:	1,3,7,9-tetrachlorodibenzodioxin Dibenzo-p-dioxin, 1,3,7,9-tetrachloro 1,3,7,9-Tetrachlorodibenzo[b,e] [1,4]dioxin
Inchi:	InChI=1S/C12H4Cl4O2/c13-5-1-7(15)11-9(3-5)17-10-4-6(14)2-8(16)12(10)18-11/h1-4H
InchiKey:	JMGYHLJVDHUACM-UHFFFAOYSA-N
Formula:	C12H4Cl4O2
SMILES:	Clc1cc(Cl)c2c(c1)Oc1cc(Cl)cc(Cl)c1O2
Mol. weight [g/mol]:	321.97
CAS:	62470-53-5

Physical Properties

Property code	Value	Unit	Source
gf	77.80	kJ/mol	Joback Method
hf	-114.43	kJ/mol	Joback Method
hfus	44.49	kJ/mol	Joback Method
hvap	77.44	kJ/mol	Joback Method
log10ws	-5.73		Crippen Method
logp	6.198		Crippen Method
mcvol	182.260	ml/mol	McGowan Method
pc	2999.15	kPa	Joback Method
rinpol	2271.00		NIST Webbook
rinpol	2304.00		NIST Webbook
rinpol	2271.00		NIST Webbook
rinpol	2271.00		NIST Webbook
rinpol	2304.00		NIST Webbook
rinpol	2304.00		NIST Webbook
rinpol	2304.00		NIST Webbook
rinpol	2304.00		NIST Webbook
rinpol	2340.00		NIST Webbook
rinpol	2341.00		NIST Webbook
tb	767.96	K	Joback Method
tc	1035.13	K	Joback Method
tf	551.48	K	Joback Method
vc	0.696	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	431.25	J/mol×K	1035.13	Joback Method
cpg	425.28	J/mol×K	990.60	Joback Method
cpg	419.14	J/mol×K	946.08	Joback Method
cpg	412.71	J/mol×K	901.55	Joback Method
cpg	405.89	J/mol×K	857.02	Joback Method
cpg	398.57	J/mol×K	812.49	Joback Method
cpg	390.63	J/mol×K	767.96	Joback Method
dvisc	0.0011898	Pa×s	551.48	Joback Method
dvisc	0.0004605	Pa×s	767.96	Joback Method
dvisc	0.0005188	Pa×s	731.88	Joback Method
dvisc	0.0005917	Pa×s	695.80	Joback Method
dvisc	0.0006847	Pa×s	659.72	Joback Method
dvisc	0.0008058	Pa×s	623.64	Joback Method
dvisc	0.0009675	Pa×s	587.56	Joback Method
hsubt	123.60 ± 1.50	kJ/mol	395.50	NIST Webbook

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C62470535&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions

log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/41-459-7/1-3-7-9-Tetrachlorodibenzo-p-dioxin.pdf>

Generated by Cheméo on 2025-12-22 06:00:41.768066174 +0000 UTC m=+6131439.298106829.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.